




T: +27(21) 706-0440

e: [info@escapegear.co.za](mailto:info@escapegear.co.za)

w: [www.escapegear.com](http://www.escapegear.com)

MODEL:	Hilux Single / Xtra Cab 2016
PRODUCT:	Hilux seat covers for Single or Xtra cab



---

## **VERY IMPORTANT**

a.) PLEASE READ THESE INSTRUCTIONS CAREFULLY BEFORE COMMENCING WITH ANY FITMENT.

---

---

### **TOOLS AND MATERIALS REQUIRED TO FIT**


- Clean hands, short fingernails and no open wounds.
- 

### **CAUTION**

Ensure that your workmanship is of the highest professional standard and that you do not soil, scratch or damage the vehicle or accessory you are about to fit.





Ensure that you make provision for a clean area, to place components removed.

---

Hilux Xtra Cab		NO.	ITEM	CHECKED	PACKED
		1	Driver side seat cover.		
		2	Driver side backrest cover.		
		3	Driver detachable headrest cover.		
		4	Passenger side seat cover.		
		5	Passenger side backrest cover.		
		6	Passenger detachable headrest cover.		
		7	Centre console cover.		
		8	Fitting instructions.		
<b>CHECKED BY:</b> NAME: ..... SIGNATURE: .....		DATE:.....		TOTAL PIECES:	
<b>PACKED BY:</b> NAME: ..... SIGNATURE: .....		DATE: .....		TOTAL PIECES:	

**INSTALLATION PROCEDURE - Remove all headrests and loosen all webbing straps and buckles on seat covers.**

<p><b>STEP 1</b></p> 	<p><b>STEP 2</b></p> 	<p><b>STEP 3</b></p> 
<p><b>Start with passenger seat.</b>  <b>Passenger seat.</b> Undo the elastic strap underneath the seat which holds the flap that protects the electronic wires in the seat.</p>	<p><b>Passenger seat.</b> Pull cover over seat bottom and feed three straps through gap between backrest and seat bottom.</p>	<p><b>Passenger seat.</b> Feel for the straps at the back of the seat, pull it to the front and around the bar on the bottom of the seat then back to the buckle at the back of the seat.</p>
<p><b>STEP 4</b></p> 	<p><b>STEP 5</b></p> 	<p><b>STEP 6</b></p> 
<p><b>Passenger seat.</b> Pull cover over seat backrest, feed three straps same as in step 2, pull to the front and thread through buckles on the front of the seat.</p>	<p><b>Passenger seat.</b> Position and smooth out covers to line up with the seat and tighten straps to hold seat covers secure. Thread left and right side webbing straps on the side of the seat and attach to left and right buckles at back of squab cover.</p>	<p><b>Passenger seat.</b> <i>NB. Webbing strap on the door side should be fed through seat plastic and the strap on the consol side goes around the seat.</i> Tighten all webbing buckles and smooth out fabric for a neat finish.  <b>Driver's seat – as per Passenger's seat.</b></p>
<p><b>STEP 7</b></p> 	<p><b>STEP 8</b></p> 	<p><b>STEP 9</b></p> 
<p><b>Headrest covers.</b> When done fitting the seat covers replace all headrests and cover with headrests covers. Pull down for snug fit and secure cover with Velcro at the bottom.</p>	<p><b>Centre console cover.</b> Lift up centre console.</p>	<p><b>Centre console cover.</b> Pull the cover onto the centre console. Making sure lower elastic is as shown.</p>

<p><b>STEP 10</b></p> 	<p><b>STEP 11</b></p> 	<p><b>STEP 12</b></p> 
<p><b>Centre console cover.</b> Hook elastics around back corners of console. Make sure they are not twisted.</p>	<p><b>Centre console cover.</b> Feed Velcro under the back of the console (between the console and the plastic hinge).</p>	<p><b>Centre console cover.</b> Pull Velcro tight and fasten to the Velcro under the centre console.</p>
<p><b>STEP 12</b></p>  <p><b>Centre console cover.</b> Check fitment and adjust if necessary.</p>	<div data-bbox="678 699 893 730" data-label="Section-Header"> <p><b>DEALER STAMP:</b></p> </div> <div data-bbox="768 1035 1320 1066" data-label="Text"> <p>Place fitting instructions in vehicle cubby hole after fitment.</p> </div>	

**ENSURE THAT VEHICLE IS LEFT UNSCRATCHED, CLEAN & TIDY AND FREE OF ANY DUST, GRIME OR GREASE.**

**Place fitting instructions in vehicle cubby hole after fitment.**